
CUTTERS

Asphalt Tile Cutter



Portable, hand-operated shears cut resilient floor tile up to 3/16". Cuts 9 x 9" tile squarely or diagonally and cuts 12 x 12" tile squarely. Comes with a replaceable cutting blade made of hardened tool steel and a comfortable handgrip on the actuating lever. Current design has a maximum weight of 45 lb. Includes a built-in carrying handle and angle gauges.

5110-00-570-9017 EA \$247.15

We want your comments and suggestions. Please fill out and return the Comment Card at the back of the catalog.

Bolt Cutter (Angle Cut)



Cutter for bolts, rivets and steel rods gives an angular cut. Has an adjustable, rigid, two-jaw head. Hardened steel removable jaws are angled at 25 to 35 deg. Flush-cutting surface allows flat shearing of bolts in close areas. Dual lever-arm steel handles have toggle or geared action. Adjustments compensate for jaw wear. Rubber bumper or lock-screw stops eliminate pinching of operator's hands. GGG-C-740.

5110-00-224-7056	3/8" capacity, 24" length	EA	\$64.94
5110 00 224 7055	1/4" capacity, 14" length	EA	\$54.84
5110-00-224-7057	9/16" capacity, 36" length	EA	\$100.69

Bolt Cutter (Center Cut)



Cutter for bolts, rivets and steel rods gives a center cut. Has an adjustable, rigid, two-jaw head. Removable jaws have rounded cutting edges and are made of hardened tool steel. Shearing occurs above the surface of the head. Dual leverarm steel handles have toggle or geared action. Adjustments compensate for jaw wear. Rubber bumper or lock-screw stops eliminate pinching of operator's hands. GGG-C-740.

5110-00-224-7064 3/8" capacity, 30" length E.A. \$56.23

Bolt Cutter (Clipper Cut)

Designed for close cutting near flat surfaces. Clipper-cutter tool cuts rivets, bolts and steel rods and has an adjustable, rigid, two-jaw head. Removable, sharp-edged jaws are made of hardened tool steel. Dual lever-arm steel handles have toggle or geared action. Adjustments compensate for jaw wear. Rubber bumper or lock-screw stops eliminate pinching of operator's hands. GGG-C-740.

5110 00 188 2524	9/16" capacity, 36" length	EΑ	\$82.00
5110.00.596.9155	1/2" capacity, 30" length	EΑ	\$67.04
5110 00 596 9156	3/8" capacity, 24" length	EΑ	\$53.16
5110 00 596 9162	5/16" capacity, 18" length	EΑ	\$43.37

Cable Cutter (Groping Hook Guide)

Compound-lever-type cable cutter has rigid heads and center-cut style. Remove jaws to sharpen or replace. Adjustment compensates for wear. Rubber stops prevent pinching. Insulated handles protect operator from high voltages (up to 5000v). Groping hook guide consists of a double hook extending 1-7/8" beyond the cutting head. Cutting capacity is 3/8", overall length is 20-1/2". MIL-C-3958.

5110-00-541-6730 EA \$66.72

Cable Cutter (Hydraulic Action)

Hydraulic-action cutter is operated by a hand-pumped hydraulic unit with a relief valve, providing a 16-ton thrust. Performs horizontal cutting. Includes a hardened tool steel cutting blade, rope holder and blade guides. Cutter has a 1-1/8" capacity, measures 15" long and weighs 32 lb. GGG-C-800.

5110·00·224·7058 EA \$649.07

Having trouble reading an item entry? See page 6.

SCISSORS, SHEARS, SNIPS AND CUTTERS

Cable Cutter (Compound Lever)



Cutter has a compound lever and is center-cut type. Includes an extra pair of cutting jaws and has a 7/8" capacity. Cooper Tools P/N 059 MLX.


5110·00·221·1047 EA \$233.54

Cable Cutter (Hydraulic)

Cuts copper and aluminum power and communications cable, soft strip or bar. Hydraulic cutter consists of cutter head, ram assembly, coupling, handle, hose and pump on mounting board. Cutting capacity is 3". HK Porter P/N 179089, Ensley P/N E-205-3 or equal.

5110·00·595·8267 EA \$971.39

Circle Cutter



Adjustable cutter with hardened tool steel blades cuts washers and gaskets from sheet asbestos, rubber, leather, canvas, cork, felt and similar materials. Comes with a metal case. GGG-C-748.

Movable pivoting block style consists of a plastic block with 1/32" graduations, pivot post with nut and washers, cutter blades, pivot pins and cutting board with centering ferrule. Also includes a single cutter blade holder and six blades.

Cutter with extensions cuts circles 1 to 13" in diameter. Two 12" extensions cut circles up to 36" in diameter. Cuts materials from 0.001 to 3/4" thick. Includes extension arms, four pivot pins and other accessories. Square cutting board measures 18".

5110·00·288·9300 EA \$168.78

Pipe Cutter(Wheel-Type)



Hand-operated wheel-type cutter cuts steel and wrought iron pipes. The nondeforming steel frame provides proper alignment of pipe and cutter wheel. T-handled threaded feed screw adjusts sliding feed member along track. With one cutter wheel and two rollers that turn freely on axle pins. Hardened alloy steel. GGG-C-771.

5110 00 293 0460	1/8 to 2" cutting range, 7-1/2 lb	EΑ	\$75.68
5110-00-221-1049	2 to 4" cutting range, 20 lb	EΑ	\$153.75

Buy Smart and Pay Smart with the new GSA SmartPay card, or your GSA charge account.

Steel Strap Cutter (Heavy Duty)



Hand-opearted heavy-duty steel cutter has forward cutting action. Comfortable grips and handle stops prevent pinching of operator's hand. Has two hardened steel cutting jaws with tapered ends. Flattened bottom jaw slides under strapping. Cuts strapping up to 2" wide and 0.050" thick. Corrosion-inhibiting finish. Weighs 8 lb. GGG-C-835.

5110-00-223-6281 EA \$71.75

Steel Strapping Cutter (Saftey Style)



Safety-type cutter has forward cutting action. Hand operated. Has double sideretaining devices: after steel strapping is cut, both ends are retained until handles are released. Flattened bottom jaw. Cuts strapping up to and including 1-1/4". GGG-C-835.

5110·00·771·3732 EA \$70.13

Wire Cutter



Center-cut is for cutting electrically charged barbed wire. Insulated handles withstand high voltages (up to 5000v). Has a compound lever. Capacity is 0.116", overall length is 6". A-A-52207.

5110·00·595·8229 EA \$32.09

Use the shipping ticket that accompanies your order to verify quantities and prices of orders received.

SCISSORS

Electricians Scissors (Drop Forged Steel)



Ideal for cutting small-gage wire, insulation and light sheet metal. Heavy-duty electrician's scissors have straight, ring-shaped handles and sharp, pointed blades. Back edge of blade has a scraper and file. Blades are polished nickel-chrome plated. Scissors have a 1-3/4" length of cut and measure 5" long. GGG-S-278.

5110·00·255·0420 EA \$4.88

Ergonomic Scissors

OLO brand rolling scissors operate by rolling instead of squeezing. This comfort cut eliminates hand cramps and fatigue, and also makes cutting painless for people with arthritis or carpal tunnel syndrome. The nonpoint blades provide safety, presicion, flexibility and durability.

5110·01·385·7393 EA \$10.30

Pocket Scissors (Drop Forged Steel)



Heavy-duty scissors have the points of both blades rounded for extra protection, and can be safely carried in a pocket. Scissors have ring-shaped handles and straight blades. Blades are polished nickel-chrome plated and handles are plated or painted. Scissors have a 1-1/2" length of cut and measure 4" long. GGG-S-278.

5110-00-290-3766 EA \$6.29

Pocket Scissors (Stamped Stainless Steel)



Safely carry these lightweight scissors in your pocket. Scissors have ring-shaped handles, straight blades and rounded blade points for extra protection. Rust-resistant stamped stainless steel. Scissors have a 1-7/8" length of cut and measure 5-1/4" long.

5110 01 241 4376 EA \$2.61

Sewing Scissors (Drop Forged Steel)



Designed for cutting, trimming and clipping tasks. Heavy-duty sewing scissors have ring-shaped handles and straight blades. One blade is pointed and the other is blunt. Blades are polished nickel-chrome plated and handles are plated or painted. Scissors have a 2-5/8" length of cut and measure 6" long. GGG-S-278.

5110·00·754·1499 EA **\$6.17**

Sewing Scissors (Stamped Stainless Steel)



Lightweight sewing scissors cut, trim and clip. Scissors have ring-shaped handles and straight blades. Molded plastic handles are for left- and right-hand use. Both blades are pointed or one blade is pointed and the other blade is beveled. Rust-resistant stamped stainless steel. Scissors have a 3" length of cut and measure 6-1/2" long.

5110·01·241·4375 EA \$3.21

SHEARS

Bent Trimmers Shears (Drop Forged Steel)

Heavy-duty shears are used in a wide variety of applications such as cutting fine to heavy fabrics, cording, plastics, rubber, leather, vinyl and tape. Small sizes are best for short cuts and trimming. Large sizes are best for heavier applications such as upholstery, or on production lines where longer cuts and greater strength are needed. Shears have bent handles for easy, maneuverable, accurate cutting. Blades are polished and nickel-chrome plated. Handles are painted or nickel-chrome plated. One blade is pointed and has a thumb ring, the other is beveled or blunted. GGG-S-278.

5110 00 203 9642	5-7/8" cut length, 12" overall length	EΑ	\$22.32
5110-00-596-9703	4.3/4" cut length, 10" overall length	EΑ	\$15.81



Bent Trimmers Shears (Stamped Stainless Steel)



Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce gatigue. Have bent handles for easy, maneuverable, accurate cutting. Rust-resistant stamped stainless steel. Molded plastic handles are for left- and right-hand use. One blade is pointed and has a thumb ring, the other is pointed or beveled.

5110-01-241-4371 3-1/2" cut length, 8-1/4" overall length EA **\$3.38**

Do you know what a CA, DR or RM is?

A key to these and other unit of issue codes can be found on page 7.

Paper or Stationer's Shears



Ideal for blueprint or drafting work. Heavy-duty paper or stationer's shears have long, narrow blades and straight handles. Polished and nickel-chrome plated blades. Painted or nickel-chrome plated handles. Both blades are drop forged steel and pointed. GGG-S-278.

5110 00 161 6912

4-5/8" cut length, 9" overall length

EA \$7.83

In our on-going efforts to fulfill your supply needs and provide you with quality products at cost-saving prices, we now offer a wider range of products than ever before. Check out our expanded inventory!

Paper or Stationer's Shears (Drop Forged Steel)

Ideal for blueprint or drafting work. Heavy-duty paper or stationer's shears have long, narrow blades and straight handles. Polished and nickel-chrome plated blades. Painted or nickel-chrome plated handles. Both blades are drop forged steel and pointed. GGG-S-278.

5110-00-162-2207

6-3/4" cut length, 12" overall length

EA \$12.35

Pinking Shears (Drop Forged Steel)



Heavy-duty pinking shears have precision-matched teeth that provide a decorative, ravel-resistant zigzag edge. Shears have a bent handle style, with one handle ring shaped and the other loop shaped. Both blade points are blunted. Blades are polished and nickel-chrome plated. Handles are painted or nickel-chrome plated. GGG-S-278.

5110 00 162 2202

3-1/2" cut length, 9" overall length

EA \$24.84

Straight Trimmer's Shears (Drop Forged Steel)



Versatile tool. Heavy-duty shears cut fine to heavy fabrics, cording, plastics, rubber, leather, vinyl and tape. Small sizes are best for short cuts and trimming. Large sizes are best for heavier applications such as upholstery, or on production lines where longer cuts and greater strength are needed. Shears have straight handles and polished nickel-chrome plated blades. Painted or nickel-chrome plated handles. One blade is pointed and has a thumb ring, the other is beveled. GGG-S-278.

5110 00 293 3444	2-1/2" cut length, 6" overall length	ΕA	\$7.28
5110-00-293-9199	3" cut length, 7" overall length	EΑ	\$6.80
5110 00 223 6371	3-5/8" cut length, 8" overall length	EΑ	\$10.75
5110-00-161-6909	4" cut length, 9" overall length	EΑ	\$10.24

Straight Trimmer's Shears (Stamped Stainless Steel)

Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Have straight handles. Rust-resistant stamped stainless steel. Molded plastic handles are for left- and right-hand use. Both blades are stamped stainless steel and pointed.

5110 01 278 4823

4" cut length, 9-1/4" overall length

FΔ \$7.02



5110 01 241 4373

4" cut length, 8-1/4" overall length

EA \$3.26

Your supply solution for...

- * Office supplies
- * Industrial-quality tools
- * Commercial cleaning products

Tailors Shears (Drop Forged Steel)



Heavy-duty tailor's shears are ideal for cutting upholstery, carpet, canvas, duck, fabric and other sheet material. Shears have a bolt and lock nut for adjusting blade tension. Finger bow is provided with a table rest. Thumb ring has a contoured ledge for support of the thumb. One blade is pointed and has a thumb ring, the other is beveled, blunted or pointed. Blades are polished and nickel-chrome plated. Handles are painted or nickel-chrome plated. GGG-S-278.

5110-00-223-6370 6" cut length, 12" overall length

SNIPS

EA \$38.24

Aviation Snips

Aviation snips have compound lever action for easy repetitive cutting. blades are drop forged alloy steel and are finely serrated to prevent slipping. Snips have cushion-grip handles and a safety latch. ANSI B107.16.

5110.00.273.0127	EA	\$9.90
5110-00-273-0126	EA	\$9.90
5110 00 273 0128	EA	\$9.90

Prices

Every attempt has been made to provide the most current prices available. Prices are updated semiannually. You will be billed at the price in effect when the order is placed.

Shipment in 24 hours is our commitment, with many orders shipped the same day and delivered the next, with no extra charges because the prices you see already include shipping and handling.

Duckbill Combination Pattern Snips



Cut curves, irregular shapes and intricate patterns with pattern snips. Drop forged steel construction and bow-shaped, cushion-grip handles. ANSI B107.16.


Cutting capacity for cold rolled steel is 26 gage

Straight-Pattern Snips

Forged steel construction snips cut thin sheet aluminum, brass, copper, iron and steel. Has drop forged steel construction and bow-shaped, cushion-grip handles. Cuts straight or wide curves. ANSI B107.16.

Cutting capacity for cold rolled steel is 20 gage

5110-00-293-0089 2-3/4" cut length, 12-1/2" overall length EA **\$9.35**



Cutting capacity for cold rolled steel is 24 gage.